

Lecture #38: Compression

Last modified: Mon Dec 2 14:37:33 2019

CS61B: Lecture #38 1

Compression and Git

- Git creates a new object in the repository each time a changed file or directory is committed.
- Things can get crowded as a result.
- To save space, it *compresses* each object.
- Every now and then (such as when sending or receiving from another repository), it packs objects together into a single file: a "packfile."
- Besides just sticking the files together, uses a technique called *delta compression*.

Last modified: Mon Dec 2 14:37:33 2019

CS61B: Lecture #38 2

Delta Compression

- Typically, there will be many versions of a file in a Git repository: the latest, and previous edits of it, each in different commits.
- Git doesn't keep track explicitly of which file came from where, since that's hard in general:
 - What if a file is split into two, or two are spliced together?
- But, can guess that files with same name and (roughly) same size in two commits are probably versions of the same file.
- When that happens, store one of them as a pointer to the other, plus a list of changes.

Last modified: Mon Dec 2 14:37:33 2019

CS61B: Lecture #38 3

Delta Compression (II)

- So, store two versions

V1

My eyes are fully open to my awful situation.

I shall go at once to Roderick and make him an oration. I shall tell him I've recovered my forgotten moral senses,

as

V1

[Fetch 1st 6 lines from V2]

V2

My eyes are fully open to my awful situation.

I shall go at once to Roderick and make him an oration.

I shall tell him I've recovered my forgotten moral senses, and don't give twopence halfpenny for any consequences.

V2

My eyes are fully open to my awful situation.

I shall go at once to Roderick and make him an oration.

I shall tell him I've recovered my forgotten moral senses, and don't give twopence halfpenny for any consequences.

Last modified: Mon Dec 2 14:37:33 2019

CS61B: Lecture #38 4

Compression Techniques

Slides from Josh Hug

Last modified: Mon Dec 2 14:37:33 2019

CS61B: Lecture #38 5

LZ77 and DEFLATE

- Git Actually uses a different scheme from LZW for compression: a combination of LZ77 and Huffman coding.
- LZ77 is kind of like delta compression, but within the same text.
- Convert a text such as
One Mississippi, two Mississippi
into something like
One Mississippi, two <11,7>
where the <11,7> is intended to mean "the next 11 characters come from the text that ends 7 characters before this point."
- We add new symbols to the alphabet to represent these (length, distance) inclusions.
- When done, Huffman encode the result.

Last modified: Mon Dec 2 14:37:33 2019

CS61B: Lecture #38 6